|--|

## **REMARKS/ARGUMENTS**

Consideration of the captioned application in view of the foregoing amendments and following remarks is requested.

Claims 7-8, 10-14, 16, 18 and 19 remain in this application. Claims 1-6, 9, 15 and 17 have been canceled.

Early favorable action on the merits is respectfully requested.

Attached hereto is a marked-up version of the changes made to the specification and claims by the current amendment. The attached page(s) is/are captioned "Version with markings to show changes made".

Applicant respectfully requests that a timely Notice of Allowance be issued in this case.

Respectfully submitted,

Paul A. Coletti

Reg. No. 32,019

Johnson & Johnson One Johnson & Johnson Plaza New Brunswick, NJ 08933-7003 (732) 524-2815

Dated: June 4, 2001



*Serial	No. 09/	
DCITAL	110. 02/	

## **VERSION WITH MARKINGS TO SHOW CHANGES MADE**

## In the Specification:

On page 1, line 9 after "a" please insert -- continuation of Serial No. 09/256,914, filed February 24, 1999, which is a --.

## In the Claims:

7. (Amended) A stent comprising a first cylindrical form and a second cylindrical form connected thereto;

said second cylindrical form placed alongside a wall portion of the first cylindrical form and forming a connector thereat so that the stent forms a "Y"-shaped opening through the interior portion of the stent without overlap; and

said stent having a welded connection at the connection between said first and second cylindrical forms.

10. (Amended) A stent comprising a first cylindrical form and a second cylindrical form connected thereto;

said second cylindrical form placed alongside a wall portion of the first cylindrical form so that the stent forms a "Y"-shaped opening through the interior portion of the stent without overlap; said stent having a welded connection at the connection between said first and second cylindrical forms; and

wherein said welded connection is accomplished around the entire circumference of said second cylindrical form.

14. (Amended) A stent comprising a first cylindrical form and a second cylindrical form connected thereto;

said second cylindrical form placed alongside a wall portion of the first cylindrical form and forming a connector thereat so that the stent forms a "Y"-shaped opening through the interior portion of the stent without overlap; and

said stent having a welded connection at the connection between said first and second cylindrical forms; and



wherein said stent has a first cylindrical form with an opening formed in the wall of said cylindrical form, and said opening generally corresponding to the circumference of said second cylindrical form.

- 16. (Amended) A bifurcated stent comprising:
  - a proximal tubular section;
- a first distal tubular section, said first distal tubular section connected to said proximal section by connector members; and
- a second distal tubular section, said first and second distal tubular sections attached together at their proximal ends by a plurality of flexible hooks <u>arranged around said</u> second distal tubular section circumference.

Please add the following new claims:

- 18. A bifurcated stent comprising:
  - a proximal tubular section;
- a first distal tubular section, said first distal tubular section connected to said proximal section by connector members;
- a second distal tubular section, said first and second distal tubular sections welded together at their proximal ends; and
- wherein the shape of the connection is different than the strut shape of the proximal and distal sections.
- 19. The stent of claim 18 wherein said distal end and proximal sections are expandable to different diameters. --